



रेल भर्ती बोर्ड / RAILWAY RECRUITMENT BOARDS
CEN 01/2024 - ALP / सहायक लोको पायलट



Test Date	06/05/2025
Test Time	9:30 AM - 12:00 PM
Subject	Electrician

* Note
Correct Answer will carry 1 mark per Question.
Incorrect Answer will carry 1/3 Negative mark per Question.

1. Options shown in green color with a tick icon are correct.
2. Chosen option on the right of the question indicates the option selected by the candidate.

Section : PART-A

Q.1 Simran rides a distance of 60 m in one minute and then returns along the same straight path. The average velocity of her ride is ____.

- Ans ☒ 1. 0 m/s
☐ 2. 60 m/s
☐ 3. 1 m/s
☐ 4. 2 m/s

Q.2 Jaspreet deposited a sum of ₹12,800 at 5% rate of interest per annum, compounded annually. The total amount (in ₹) received by Jaspreet after 2 years will be:

- Ans ☒ 1. 14,112
☐ 2. 14,512
☐ 3. 13,997
☐ 4. 14,442

Q.3 Which of the following correctly describes the role of DNS (Domain Name System) in internet architecture?

- Ans ☐ 1. DNS translates IP addresses into domain names to make them easier to remember.
☐ 2. DNS secures the data transmitted over the internet by encrypting it.
☐ 3. DNS routes data packets to their destination across the internet.
☒ 4. DNS translates domain names into IP addresses to allow browsers to locate web servers.

Q.4 Which key combination is commonly used for copying text in many text editing applications in Windows?

- Ans ☐ 1. Ctrl+S
☐ 2. Ctrl+V
☐ 3. Tab
☒ 4. Ctrl+C

Q.5 In a certain code language,
'A × B' means 'A is the son of B',
'A – B' means 'A is the brother of B',
'A + B' means 'A is the wife of B' and
'A % B' means 'A is the father of B'.

How is M related to T if 'M × N % P + S – T'?

- Ans**
- ✓ 1. Brother's wife's brother
 - ✗ 2. Brother's wife's father's father
 - ✗ 3. Brother's wife's father
 - ✗ 4. Brother's wife's father's brother

Q.6 What is the immediate action to take when a fire breaks out in a workplace?

- Ans**
- ✓ 1. Raise the alarm and evacuate the area
 - ✗ 2. Ignore the fire and continue working
 - ✗ 3. Gather near the fire to observe the situation
 - ✗ 4. Try to put it out using water without knowing the fire type

Q.7 Read the given statements and conclusions carefully. Assuming that the information given in the statements is true, even if it appears to be at variance with commonly known facts, decide which of the given conclusion(s) logically follow(s) from the statements.

Statements:
Some ships are boats.
All boats are submarines.
Some submarines are yachts

Conclusions:
(I) Some yachts are boats.
(II) Some yachts are ships.

- Ans**
- ✗ 1. Both conclusions (I) and (II) follow.
 - ✗ 2. Only conclusion (II) follows.
 - ✗ 3. Only conclusion (I) follows.
 - ✓ 4. Neither conclusion (I) nor (II) follows.

Q.8 In Engineering Drawing, which of the following is the correct definition of the term 'dimension'.


- Ans**
- ✓ 1. A numerical value expressed in an appropriate unit of measurement
 - ✗ 2. A line that is drawn to make a section evident
 - ✗ 3. The thickness of the line of a letter
 - ✗ 4. A continuous thick or wide line along which the prints are trimmed

Q.9 Which of the following options is correct when two objects at the same temperature are kept in contact with each other?

- Ans**
- ✓ 1. No heat is transferred.
 - ✗ 2. Heat is transferred from object 2 to object 1.
 - ✗ 3. Both objects transfer heat to each other.
 - ✗ 4. Heat is transferred from object 1 to object 2.

Q.10 Study the given pie chart and answer the question that follows.

The given pie chart indicates the percentage-wise breakup of students in different subjects. The total number of students in the college is 5000.



- What is the ratio of the students studying Zoology to the students studying Botany?
- Ans ☐ 1. 15 : 16
- ☐ 2. 14 : 15
- ☒ 3. 16 : 15
- ☐ 4. 15 : 14

Q.11 What should come in place of the question mark (?) in the given series?

- 17 29 41 59 77 101 125 ?
- Ans ☒ 1. 155
- ☐ 2. 161
- ☐ 3. 175
- ☐ 4. 149

Q.12 Which of the following groups represents conductors of heat?

- Ans ☐ 1. Paper, copper, plastic
- ☒ 2. Aluminium, silver, copper
- ☐ 3. Wood, paper, silver
- ☐ 4. Aluminium, plastic, wood

Q.13 Refer to the following letter, number and symbol series and answer the question that follows. Counting to be done from left to right only.

(Left) K A T & 4 @ Y # 6 K & 2 R % 7 D 3 5 E * S (Right)

- How many such symbols are there which are immediately preceded by a number and also immediately followed by a letter?
- Ans ☐ 1. Four
- ☐ 2. Two
- ☒ 3. One
- ☐ 4. Three

Q.14	An object of mass m is made to fall freely from a height h . As the object continues to fall, what will happen to its energy?
Ans	<div><div><input type="checkbox"/></div>1. The potential energy would increase while the kinetic energy would decrease.</div> <div><div><input checked="" type="checkbox"/></div>2. The potential energy would decrease while the kinetic energy would increase.</div> <div><div><input type="checkbox"/></div>3. The kinetic energy and potential energy will not change.</div> <div><div><input type="checkbox"/></div>4. The potential energy and kinetic energy will both increase.</div>

Q.21	The energy possessed by an object by virtue of its motion is known as _____.
Ans	<div><div><input type="checkbox"/></div>1. light energy</div> <div><div><input type="checkbox"/></div>2. potential energy</div> <div><div><input checked="" type="checkbox"/></div>3. kinetic energy</div> <div><div><input type="checkbox"/></div>4. heat energy</div>

Q.27	What should come in place of the question mark (?) in the given series?
87 118 149 ? 211 242	
Ans	<div><input checked="" type="checkbox"/> 1. 199</div> <div><input checked="" type="checkbox"/> 2. 188</div> <div><input checked="" type="checkbox"/> 3. 171</div> <div><input checked="" type="checkbox"/> 4. 180</div>
Q.28 The HCF of two numbers is 62, and the other two factors of the LCM of these factors are 7 and 9. Which of the options given below can be a possible value of the smaller of the two numbers?	
Ans	<div><input checked="" type="checkbox"/> 1. 434</div> <div><input checked="" type="checkbox"/> 2. 431</div> <div><input checked="" type="checkbox"/> 3. 432</div> <div><input checked="" type="checkbox"/> 4. 433</div>
Q.29 How fast should a cat of mass 15 kg run in order to have a kinetic energy of 120 J?	
Ans	<div><input checked="" type="checkbox"/> 1. 40 m/s</div> <div><input checked="" type="checkbox"/> 2. 16 m/s</div> <div><input checked="" type="checkbox"/> 3. 0.16 m/s</div> <div><input checked="" type="checkbox"/> 4. 4 m/s</div>
Q.30 Which of the following features allows the user to quickly find emails received from a specific sender?	
Ans	<div><input checked="" type="checkbox"/> 1. Filter</div> <div><input checked="" type="checkbox"/> 2. Sort</div> <div><input checked="" type="checkbox"/> 3. Archive</div> <div><input checked="" type="checkbox"/> 4. Draft</div>
Q.31 The floor of a rectangular hall has a perimeter of 220 m. If the cost of painting the four walls at the rate of ₹10 per m ² is ₹11,000, then find the volume of the hall.	
Ans	<div><input checked="" type="checkbox"/> 1. 19,250 m³</div> <div><input checked="" type="checkbox"/> 2. 19,520 m³</div> <div><input checked="" type="checkbox"/> 3. 18,250 m³</div> <div><input checked="" type="checkbox"/> 4. 19,200 m³</div>
Q.32 Find the value of 96.86572×10^7 .	
Ans	<div><input checked="" type="checkbox"/> 1. 9,68,65,720</div> <div><input checked="" type="checkbox"/> 2. 0.9686572</div> <div><input checked="" type="checkbox"/> 3. 96,86,57,200</div> <div><input checked="" type="checkbox"/> 4. 96,86,572</div>
Q.33 A boy goes to school at a speed of 5 km/hr. He returns at a speed of 14 km/hr. He takes a total of 8 hours for both going to school and returning. The distance (in km) between his home and school is:	
Ans	<div><input checked="" type="checkbox"/> 1. 31</div> <div><input checked="" type="checkbox"/> 2. 29.5</div> <div><input checked="" type="checkbox"/> 3. 28.6</div> <div><input checked="" type="checkbox"/> 4. 27</div>

Q.34	If $11.6 : x :: x : 2.9$, and $x > 0$, then find the value of x .
Ans	<div><input checked="" type="checkbox"/> 1. 10.9</div> <div><input checked="" type="checkbox"/> 2. 3.1</div> <div><input checked="" type="checkbox"/> 3. 5.8</div> <div><input checked="" type="checkbox"/> 4. 7.7</div>
Q.35	<p>Based on the English alphabetical order, three of the following four letter-cluster pairs are alike in a certain way and thus form a group. Which letter-cluster pair DOES NOT belong to that group??</p> <p>(Note: The odd one out is not based on the number of consonants/vowels or their position in the letter-cluster pair)</p>
Ans	<div><input checked="" type="checkbox"/> 1. MF – HJ</div> <div><input checked="" type="checkbox"/> 2. DW – YA</div> <div><input checked="" type="checkbox"/> 3. SL – NP</div> <div><input checked="" type="checkbox"/> 4. WP – RS</div>
Q.36	How do we find absolute error?
Ans	<div><input checked="" type="checkbox"/> 1. Absolute error = Actual value + observed value</div> <div><input checked="" type="checkbox"/> 2. Absolute error = Actual value × observed value</div> <div><input checked="" type="checkbox"/> 3. Absolute error = Actual value/observed value</div> <div><input checked="" type="checkbox"/> 4. Absolute error = Actual value – observed value</div>
Q.37	<p>In a certain code language, ‘LOVE’ is coded as ‘8364’ and ‘EARS’ is coded as ‘3517’.</p> <p>What is the code for ‘E’ in the given code language?</p>
Ans	<div><input checked="" type="checkbox"/> 1. 3</div> <div><input checked="" type="checkbox"/> 2. 5</div> <div><input checked="" type="checkbox"/> 3. 7</div> <div><input checked="" type="checkbox"/> 4. 4</div>
Q.38	<p>The areas of three adjacent faces of a solid cuboid are 162 cm^2, 144 cm^2 and 50 cm^2.</p> <p>What is the volume (in cm^3) of the cuboid?</p>
Ans	<div><input checked="" type="checkbox"/> 1. 805</div> <div><input checked="" type="checkbox"/> 2. 1365</div> <div><input checked="" type="checkbox"/> 3. 1080</div> <div><input checked="" type="checkbox"/> 4. 833</div>
Q.39	How does turning off unused electrical devices contribute to energy conservation?
Ans	<div><input checked="" type="checkbox"/> 1. By degrading electrical devices</div> <div><input checked="" type="checkbox"/> 2. By increasing energy use</div> <div><input checked="" type="checkbox"/> 3. By enhancing device performance</div> <div><input checked="" type="checkbox"/> 4. By lowering utility bills</div>
Q.40	Which of the following is a poor conductor of heat?
Ans	<div><input checked="" type="checkbox"/> 1. Aluminium rod</div> <div><input checked="" type="checkbox"/> 2. Steel spoon</div> <div><input checked="" type="checkbox"/> 3. Copper</div> <div><input checked="" type="checkbox"/> 4. Wool</div>

Q.41 Select the triad that follows the same pattern as that followed by the two triads given below. Both triads follow the same pattern.

- JK - LM - NO
TU - VW - XY
- Ans ☒ 1. DE - FB - DF
☒ 2. DE - FG - HI
☒ 3. WE - DF - HI
☒ 4. DE - FG - KL

Q.42 A is thrice as good a workman as B and together they can finish a piece of work in 12 days. In how many days can A alone finish the work?

- Ans ☒ 1. 14 days
☒ 2. 16 days
☒ 3. 12 days
☒ 4. 18 days

Q.43 A line in an engineering drawing is the _____.

- Ans ☒ 1. one-dimensional figure, which has length but no width
☒ 2. closed curve where all points are the same distance from a fixed centre point
☒ 3. three-dimensional object with length, breadth, and height
☒ 4. dimensionless location in space or on a drawing sheet that has no width, height, or depth

Q.44 Based on the English alphabetical order, three of the following four letter-cluster pairs are alike in a certain way and thus form a group. Which letter-cluster pair DOES NOT belong to that group?
(Note: The odd one out is not based on the number of consonants/vowels or their position in the letter-cluster pair.)

- Ans ☒ 1. WE – AU
☒ 2. MU – QL
☒ 3. DL – HB
☒ 4. SA – WQ

Q.45 What should come in place of the question mark (?) in the given series?

- UT27, RQ25, NM23, ?
- Ans ☒ 1. IH29
☒ 2. IG21
☒ 3. JH19
☒ 4. IH21

Q.46 Which of the following correctly describes the direction of electric current?

- Ans ☒ 1. Opposite to the direction of positive charge flow
☒ 2. Opposite to the direction of electron flow
☒ 3. From low potential to high potential
☒ 4. Same as the direction of electron flow

Q.47 In Engineering Drawing, principal lines are drawn to represent _____.

- Ans ☒ 1. visible edges and surface boundaries of objects
☒ 2. interior or hidden edges
☒ 3. axes of cylindrical, conical or spherical objects
☒ 4. wide lines along which the prints are trimmed

Q.48	What is the main function of the Transport Layer in the internet architecture?
Ans	<div><div><input type="checkbox"/></div><div>1. Data encapsulation</div></div> <div><div><input type="checkbox"/></div><div>2. Routing of packets</div></div> <div><div><input type="checkbox"/></div><div>3. IP addressing</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. Reliable data transfer and error correction</div></div>
Q.49	If an electric heater draws a current of 5 A when the potential difference across its terminals is 75 V, what current will it draw when the potential difference is increased to 150 V?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. 10 A</div></div> <div><div><input type="checkbox"/></div><div>2. 20 A</div></div> <div><div><input type="checkbox"/></div><div>3. 30 A</div></div> <div><div><input type="checkbox"/></div><div>4. 15 A</div></div>
Q.50	A fruit seller had some apples. He sells 40% of the apples and now has 900 apples. How many apples did he originally have?
Ans	<div><div><input type="checkbox"/></div><div>1. 2250</div></div> <div><div><input type="checkbox"/></div><div>2. 1800</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. 1500</div></div> <div><div><input type="checkbox"/></div><div>4. 1350</div></div>
Q.51	Which of the following benefits can be obtained by conducting an energy audit in a commercial building?
Ans	<div><div><input type="checkbox"/></div><div>1. Increasing the cost of energy bills</div></div> <div><div><input type="checkbox"/></div><div>2. Reduced market value of building</div></div> <div><div><input type="checkbox"/></div><div>3. Reduction in price of energy per its unit usage</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. Identification of opportunities for energy savings</div></div>
Q.52	Akshay gets 2% increase in his sale amount in the first year and 25% in the second year. With that his present sale is ₹1,42,800. What was his sale (in ₹) two years ago?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. 1,12,000</div></div> <div><div><input type="checkbox"/></div><div>2. 1,14,240</div></div> <div><div><input type="checkbox"/></div><div>3. 1,40,000</div></div> <div><div><input type="checkbox"/></div><div>4. 92,000</div></div>
Q.53	If 'A' stands for '÷', 'B' stands for '×', 'C' stands for '+' and 'D' stands for '−', then what will come in place of the question mark (?) in the following equation? 35 A 7 C 9 B 3 D 16 = ?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. 16</div></div> <div><div><input type="checkbox"/></div><div>2. 10</div></div> <div><div><input type="checkbox"/></div><div>3. 18</div></div> <div><div><input type="checkbox"/></div><div>4. 21</div></div>
Q.54	Which of the following is an effective way to prevent electrical accidents in the workplace?
Ans	<div><div><input type="checkbox"/></div><div>1. Working on live wires with bare hands</div></div> <div><div><input type="checkbox"/></div><div>2. Using water to cool overheated electrical equipment</div></div> <div><div><input type="checkbox"/></div><div>3. Ignoring minor electrical faults</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. Using insulated tools and wearing rubber gloves</div></div>

Q.55 If $\frac{\sin\theta + \cos\theta}{\sin\theta - \cos\theta} = 12$, then the value of $\frac{121\tan^2\theta - 3}{169\cot^2\theta + 1}$ is:

- Ans
- ☐ 1. $-\frac{83}{61}$
 - ☐ 2. $-\frac{83}{21}$
 - ☐ 3. $\frac{83}{21}$
 - ☒ 4. $\frac{83}{61}$

Q.56 Two containers, one painted black and the other painted white, have been kept in sunlight for one hour in the afternoon. Choose the correct observation.

- Ans
- ☒ 1. The black container becomes hotter than the white container.
 - ☐ 2. There is no effect on either container.
 - ☐ 3. Both containers become equally hot.
 - ☐ 4. The white container becomes hotter than the black container.

Q.57 Which technology operates through an electrochemical process that transforms the energy stored in hydrogen gas (H₂) and oxygen into electrical power without combustion?

- Ans
- ☐ 1. Hydroelectric power
 - ☐ 2. Wind power
 - ☐ 3. Solar thermal power
 - ☒ 4. Hydrogen fuel cells

Q.58 In a certain code language, 'WILD' is coded as '8164' and 'DOGS' is coded as '3517'. What is the code for 'D' in the given code language?

- Ans
- ☐ 1. 4
 - ☐ 2. 3
 - ☒ 3. 1
 - ☐ 4. 5

Q.59 In a clearance sale of electronic items, an item whose marked price was ₹12,225 is now sold for ₹10,758, d% is the discount percentage on the item. The value of d is:

- Ans
- ☐ 1. 11%
 - ☒ 2. 12%
 - ☐ 3. 14%
 - ☐ 4. 13%

Q.60 Which of the following steps is essential when configuring a web browser to enhance both security and privacy for a user?

- Ans
- ☐ 1. Setting the homepage to a frequently visited website for quick access
 - ☐ 2. Enabling pop-ups for all websites to improve user experience
 - ☒ 3. Configuring the browser to block third-party cookies and enabling HTTPS-only mode
 - ☐ 4. Disabling the browser's cache to improve website loading times

Q.61 Find the value of $x^2 + y^2$, given that, $x = 7 + \sqrt{1}$, $y = 7 - \sqrt{1}$.

- Ans
- ✓ 1. 100
 - ✗ 2. 56
 - ✗ 3. 69
 - ✗ 4. 98

Q.62 The median of the data 2, 6, 4, 8, 1, 2, 5, 8, 9, 10, 12, 9, 7, 8, 3, 1, 0, 9, 2, 5 is _____.

- Ans
- ✗ 1. 6.5
 - ✓ 2. 5.5
 - ✗ 3. 6
 - ✗ 4. 5

Q.63 A can complete a piece of work in 18 days. B can complete it in 14 days. With the assistance of C, they completed the work in 7 days. C alone can complete it in _____ days.

- Ans
- ✗ 1. 36
 - ✗ 2. 42
 - ✓ 3. 63
 - ✗ 4. 64

Q.64 Match the following, according to lettering and numbering (uppercase lettering) as per BIS SP: 46-2003.

Width (W) Capital letters
(A) 5 (I) W
(B) 6 (II) A, M, Q, V, X, Y
(C) 7 (III) B, D, G, H, K, N, O, P, R, S, T, U and Z
(D) 9 (IV) C, E, F, L

- Ans
- ✗ 1. A-(I), B-(III), C-(II), D-(IV)
 - ✓ 2. A-(IV), B-(III), C-(II), D-(I)
 - ✗ 3. A-(IV), B-(III), C-(I), D-(II)
 - ✗ 4. A-(IV), B-(II), C-(III), D-(I)

Q.65 Two sets of numbers are given below. In each set of numbers, certain mathematical operation(s) on the first number results in the second number. Similarly, certain mathematical operation(s) on the second number results in the third number and so on. Which of the given options follows the same set of operations as in the given sets?

(NOTE: Operations should be performed on the whole numbers, without breaking down the numbers into their constituent digits. E.g. 13 – Operations on 13 such as adding/subtracting/multiplying to 13 can be performed. Breaking down 13 into 1 and 3 and then performing mathematical operations on 1 and 3 is not allowed.)

24 – 48 – 108 – 36; 18 – 36 – 96 – 32

- Ans
- ✗ 1. 82 – 139 – 234 – 78
 - ✗ 2. 53 – 106 – 166 – 55
 - ✓ 3. 48 – 96 – 156 – 52
 - ✗ 4. 132 – 264 – 444 – 138

Q.66 Which term describes the maximum amount of solar energy that a photovoltaic (PV) system can convert into electricity under standard test conditions?

- Ans
- ✗ 1. Effective capacity
 - ✗ 2. Rated capacity
 - ✗ 3. Peak load
 - ✓ 4. Nameplate capacity

Q.67	Calculate the energy possessed by an object of mass 10 kg when it is raised to a height of 5 m from the ground. Given: $g = 9.8 \text{ m s}^{-2}$.
Ans	<div><div><input type="checkbox"/></div>1. 500 J</div> <div><div><input type="checkbox"/></div>2. 400 J</div> <div><div><input type="checkbox"/></div>3. 450 J</div> <div><div><input checked="" type="checkbox"/></div>4. 490 J</div>
Q.68	What should come in place of the question mark (?) in the given alpha-numeric series? 2M, 5O, 10R, 13T, 18W, 21Y, ?
Ans	<div><div><input type="checkbox"/></div>1. 24B</div> <div><div><input type="checkbox"/></div>2. 26A</div> <div><div><input type="checkbox"/></div>3. 26C</div> <div><div><input checked="" type="checkbox"/></div>4. 26B</div>
Q.69	What is the amount of work done in moving a charge of 6 C from a point with a potential of 120 V to a point with a potential of 140 V?
Ans	<div><div><input type="checkbox"/></div>1. 3.33 J</div> <div><div><input checked="" type="checkbox"/></div>2. 120 J</div> <div><div><input type="checkbox"/></div>3. 840 J</div> <div><div><input type="checkbox"/></div>4. 720 J</div>
Q.70	In a certain code language, 'BORE' is coded as '8624' and 'TABS' is coded as '3217'. What is the code for 'B' in the given code language?
Ans	<div><div><input type="checkbox"/></div>1. 8</div> <div><div><input type="checkbox"/></div>2. 7</div> <div><div><input type="checkbox"/></div>3. 1</div> <div><div><input checked="" type="checkbox"/></div>4. 2</div>
Q.71	Alloys are preferred over pure metals in electrical heating devices:
Ans	<div><div><input type="checkbox"/></div>1. because the elasticity of an alloy is higher than that of its constituent metals.</div> <div><div><input type="checkbox"/></div>2. because alloys oxidise (burn) readily at high temperatures.</div> <div><div><input checked="" type="checkbox"/></div>3. because the resistivity of an alloy is generally higher than its constituent metals.</div> <div><div><input type="checkbox"/></div>4. because the resistivity of an alloy is lower than that of its constituent metals.</div>
Q.72	Each of I, J, K, L, U, V and W has an exam on a different day of a week starting from Monday and ending on Sunday of the same week. J has the exam on Friday. Only two people have the exam between V and J. Only four people have the exam between L and V. U has the exam immediately after W. K does not have the exam on Monday. How many people have the exam before K and after I?
Ans	<div><div><input type="checkbox"/></div>1. Three</div> <div><div><input type="checkbox"/></div>2. One</div> <div><div><input type="checkbox"/></div>3. Two</div> <div><div><input checked="" type="checkbox"/></div>4. Four</div>
Q.73	Seema is twice as old as Alka. If nine years is subtracted from Alka's age and six years is added to Seema's age, then Seema will be four times Alka's age. How old was Alka three years ago?
Ans	<div><div><input checked="" type="checkbox"/></div>1. 18 years</div> <div><div><input type="checkbox"/></div>2. 16 years</div> <div><div><input type="checkbox"/></div>3. 20 years</div> <div><div><input type="checkbox"/></div>4. 21 years</div>

Q.74 Two trains of lengths 155 m and 160 m are running at speeds of 74 km/hr and 52 km/hr, respectively, on parallel tracks in opposite directions. In how many seconds will they pass each other?

- Ans
- ☐ 1. 18 seconds
 - ☐ 2. 7 seconds
 - ☒ 3. 9 seconds
 - ☐ 4. 14 seconds

Q.75 If $a = 21$ and $b = 19$, find the value of $\frac{a^2 + b^2 + ab}{a^3 - b^3}$.

- Ans
- ☐ 1. $\frac{2}{5}$
 - ☒ 2. $\frac{1}{2}$
 - ☐ 3. $\frac{2}{3}$
 - ☐ 4. $\frac{3}{5}$

Q.76 In this question, a statement is given followed by two courses of action, numbered I and II. You must assume everything in the statement to be true, and on the basis of the information given in the statement, decide which of the given courses of action logically follow(s) for pursuing.

Statement:

A major fire broke out this afternoon in a mall in Jaipur, causing several casualties amongst the people present inside.

Courses of Action:

The police must check to see if the fire safety regulations were followed by the mall.
Traffic police must divert traffic away from the fire site, to enable evacuation of people.

- Ans
- ☐ 1. Only II follows.
 - ☐ 2. Neither I nor II follows.
 - ☐ 3. Only I follows.
 - ☒ 4. Both I and II follow.

Q.77 Rakesh starts a business with a capital of ₹2,50,000. He incurs a loss of 5% during the first year. However, he makes a profit of 4% on his remaining investment during the second year. Finally, he makes a profit of 20% on his new capital during the third year. Find his total profit at the end of three years.

- Ans
- ☐ 1. ₹46,600
 - ☐ 2. ₹46,700
 - ☐ 3. ₹46,500
 - ☒ 4. ₹46,400

Q.78 The resistances of 30 ohm, 20 ohm and 60 ohm are connected in parallel. The equivalent resistance of the combination is _____.

- Ans
- ☐ 1. 12 ohm
 - ☐ 2. 0.1 ohm
 - ☐ 3. 110 ohm
 - ☒ 4. 10 ohm

Q.79	What is the scientific notation for 55,60,000 km?
Ans	<div>✗ 1. 5.56×10^4 km</div> <div>✓ 2. 5.56×10^6 km</div> <div>✗ 3. 55.6×10^4 km</div> <div>✗ 4. 556×10^6 km</div>
Q.80	Which of the following is NOT a fundamental quantity in the SI system?
Ans	<div>✗ 1. Amount of substance</div> <div>✓ 2. Force</div> <div>✗ 3. Time</div> <div>✗ 4. Luminous intensity</div>
Q.81	What will come in place of the question mark (?) in the following equation, if '+' and '-' are interchanged and 'x' and '÷' are interchanged?
	$32 + 28 \div 3 \times 4 - 15 = ?$
Ans	<div>✗ 1. 32</div> <div>✓ 2. 26</div> <div>✗ 3. 20</div> <div>✗ 4. 29</div>
Q.82	Which of the following is an example of uniform motion?
Ans	<div>✗ 1. A ball rolling down a slope</div> <div>✓ 2. A train moving at a constant speed on a straight track</div> <div>✗ 3. A sprinter running a 100-metre race with varying speed</div> <div>✗ 4. A vehicle moving through a crowded area</div>
Q.83	If the sum of lengths of two adjacent sides of a parallelogram is 12 cm, then the perimeter of the parallelogram is:
Ans	<div>✗ 1. 36 cm</div> <div>✗ 2. 34 cm</div> <div>✗ 3. 20 cm</div> <div>✓ 4. 24 cm</div>
Q.84	<p>Two sets of numbers are given below. In each set of numbers, certain mathematical operation(s) on the first number results in the second number. Similarly, certain mathematical operation(s) on the second number results in the third number and so on. Which of the given options follows the same set of operations as in the given sets?</p> <p>(NOTE: Operations should be performed on the whole numbers, without breaking down the numbers into their constituent digits. E.g. 13 – Operations on 13 such as adding/subtracting/multiplying to 13 can be performed. Breaking down 13 into 1 and 3 and then performing mathematical operations on 1 and 3 is not allowed.)</p> <p>11 – 121 – 221 – 171; 27 – 729 – 829 – 779</p>
Ans	<div>✗ 1. 23 – 529 – 629 – 589</div> <div>✗ 2. 13 – 169 – 244 – 188</div> <div>✓ 3. 25 – 625 – 725 – 675</div> <div>✗ 4. 16 – 196 – 296 – 246</div>

Q.85	Ampere is the SI unit of _____.
Ans	<div><input checked="" type="checkbox"/> 1. mass</div> <div><input checked="" type="checkbox"/> 2. electric power</div> <div><input checked="" type="checkbox"/> 3. electric charge</div> <div><input checked="" type="checkbox"/> 4. electric current</div>
Q.86	Which of the following represents an item with kinetic energy?
Ans	<div><input checked="" type="checkbox"/> 1. A compressed spring</div> <div><input checked="" type="checkbox"/> 2. A book resting on a table</div> <div><input checked="" type="checkbox"/> 3. An extended rubber band</div> <div><input checked="" type="checkbox"/> 4. A stone in motion</div>
Q.87	A person saves 50% of his income. If his expenditure is ₹640, then his income (in ₹) is:
Ans	<div><input checked="" type="checkbox"/> 1. 560</div> <div><input checked="" type="checkbox"/> 2. 600</div> <div><input checked="" type="checkbox"/> 3. 1,320</div> <div><input checked="" type="checkbox"/> 4. 1,280</div>
Q.88	Which of the following is NOT one of the 5S principles?
Ans	<div><input checked="" type="checkbox"/> 1. Standardise</div> <div><input checked="" type="checkbox"/> 2. Sort</div> <div><input checked="" type="checkbox"/> 3. Supervise</div> <div><input checked="" type="checkbox"/> 4. Sustain</div>
Q.89	How many base units are given in the SI system?
Ans	<div><input checked="" type="checkbox"/> 1. 7</div> <div><input checked="" type="checkbox"/> 2. 3</div> <div><input checked="" type="checkbox"/> 3. 11</div> <div><input checked="" type="checkbox"/> 4. 9</div>
Q.90	In winters, people wear jacket because _____.
Ans	<div><input checked="" type="checkbox"/> 1. jacket allows the heat to flow from our body to surroundings</div> <div><input checked="" type="checkbox"/> 2. it looks good</div> <div><input checked="" type="checkbox"/> 3. fabric of jacket is an insulator of heat so it traps body heat</div> <div><input checked="" type="checkbox"/> 4. fabric of jacket is a conductor of heat so it traps body heat</div>
Q.91	The list price of an article is ₹5,000 and a discount of 70% is offered on the list price. What additional discount per cent on the already discounted price must be offered to a customer to bring the net selling price to ₹1,275?
Ans	<div><input checked="" type="checkbox"/> 1. 16%</div> <div><input checked="" type="checkbox"/> 2. 10%</div> <div><input checked="" type="checkbox"/> 3. 18%</div> <div><input checked="" type="checkbox"/> 4. 15%</div>
Q.92	How many significant figures are there in 4.700 m?
Ans	<div><input checked="" type="checkbox"/> 1. 3</div> <div><input checked="" type="checkbox"/> 2. 4</div> <div><input checked="" type="checkbox"/> 3. 2</div> <div><input checked="" type="checkbox"/> 4. 1</div>

Q.93 Eight people are sitting in two parallel rows containing 4 people each in such a way that there is equal distance between adjacent persons. In row 1 – A, B, C and D are seated and all of them are facing south. In row 2 – P, Q, R and S are seated and all of them are facing north. Thus each person faces another person from the other row. Only three people sit to the right of R. D faces the person who is the immediate neighbour of S and P. C faces the person who sits second to the left of S. R does not face A.
Who amongst the following faces B?

- Ans**
- ☐ 1. P
 - ☐ 2. Q
 - ☒ 3. R
 - ☐ 4. S

Q.94 Aditya is using two thin blankets instead of one thick blanket in winter to keep himself warm because _____.

- Ans**
- ☐ 1. the friction between the two blankets produces heat
 - ☐ 2. the blankets are at a higher temperature than the surroundings
 - ☐ 3. two blankets are cheaper than one thick blanket
 - ☒ 4. the air trapped between the blankets is a poor conductor of heat

Q.95 E, F, G, H, P, Q, and R, are sitting around a circular table facing the centre. F sits fourth to the right of E. Only R sits between F and H. H is NOT an immediate neighbour of E. Only P sits between E and G.
How many people sit between G and Q when counted from the right of G?

- Ans**
- ☐ 1. Three
 - ☐ 2. Four
 - ☒ 3. Two
 - ☐ 4. One

Q.96 The resistance of a metallic wire is R. If the radius of the metallic wire is reduced to half of its initial value while keeping all other parameters the same, the new resistance becomes _____.

- Ans**
- ☐ 1. 2R
 - ☒ 2. 4R
 - ☐ 3. $\frac{R}{2}$
 - ☐ 4. $\frac{R}{4}$

Q.97 The mode of 4, 6, 4, 6, 5, 7, 5, 7, 4, 6, 7, 6 is:

- Ans**
- ☐ 1. 7
 - ☐ 2. 4
 - ☒ 3. 6
 - ☐ 4. 5

Q.98 Two sets of numbers are given below. In each set of numbers, certain mathematical operation(s) on the first number results in the second number. Similarly, certain mathematical operation(s) on the second number results in the third number and so on. Which of the given options follows the same set of operations as in the given sets?

(NOTE: Operations should be performed on the whole numbers, without breaking down the numbers into their constituent digits. E.g. 13 – Operations on 13 such as adding/subtracting/multiplying to 13 can be performed. Breaking down 13 into 1 and 3 and then performing mathematical operations on 1 and 3 is not allowed.)

4 – 8 – 18 – 9
6 – 12 – 22 – 11

- Ans
- ✓ 1. 8 – 16 – 26 – 13
 - ✗ 2. 9 – 18 – 28 – 20
 - ✗ 3. 3 – 15 – 12 – 20
 - ✗ 4. 11 – 13 – 22 – 63

Q.99 What is the first step when encountering a system failure in a workplace?

- Ans
- ✗ 1. Immediately restart all systems without inspection
 - ✗ 2. Disconnect all power sources permanently
 - ✗ 3. Ignore the failure and continue working
 - ✓ 4. Report the issue and follow the emergency protocol

Q.100 An electric lamp with a resistance of 35 ohms and a conductor with a resistance of 5 ohms are connected to an 8 V battery in series. Calculate the current flowing through the circuit.

- Ans
- ✗ 1. 1.82 A
 - ✗ 2. 2 A
 - ✗ 3. 40 A
 - ✓ 4. 0.2 A

Section : PART-B

Q.1 Which of the following is true when there is an unbalanced star connected load in a three-phase system?

- Ans
- ✗ 1. The magnitude of current in each phase of the load is equal.
 - ✗ 2. The power factor in each phase of the load is equal.
 - ✓ 3. Imbalance in phase voltages.
 - ✗ 4. The current in the neutral terminal is zero.

Q.2 A statement and conclusion for pictorial drawing are given below. Determine the logical relationship between them.

Statement: Pictorial drawings are three-dimensional and provide a visual representation of an object.

Conclusion: Therefore, pictorial drawings are useful for describing the shape of a piece part or component.

- Ans
- ✗ 1. The conclusion is partially supported by the statement.
 - ✓ 2. The conclusion logically follows from the statement.
 - ✗ 3. The conclusion does not logically follow from the statement.
 - ✗ 4. The conclusion is unrelated to the statement.

Q.3	Which of the following screwdrivers has cross-shaped tips that are unlikely to slip from the cruciform slots in Philips recessed head screws?
Ans	<div><div><input checked="" type="checkbox"/> 1. Cross-recess screwdriver</div><div><input type="checkbox"/> 2. Offset screwdriver</div><div><input type="checkbox"/> 3. Ratchet screwdriver</div><div><input type="checkbox"/> 4. Stumpy screwdriver</div></div>
Q.4	In the context of earthing system measurement, what does 'Earth resistance' refer to?
Ans	<div><div><input type="checkbox"/> 1. The resistance between any two points of the ground with a distance of 1 metre</div><div><input type="checkbox"/> 2. The resistance between the live wire and the earth</div><div><input checked="" type="checkbox"/> 3. The ability of the ground to resist current flow</div><div><input type="checkbox"/> 4. The voltage required to activate the earthing system</div></div>
Q.5	In a logic circuit, three SPST (Single Pole Single Throw) switches are used to implement a logic gate. The switches are connected in series. What is the output of the circuit if all switches are closed?
Ans	<div><div><input type="checkbox"/> 1. Undefined</div><div><input type="checkbox"/> 2. The output will depend on the type of gate used</div><div><input checked="" type="checkbox"/> 3. 1</div><div><input type="checkbox"/> 4. 0</div></div>
Q.6	Connection of voltage transformer and current transformer across line are _____, respectively.
Ans	<div><div><input type="checkbox"/> 1. series and series</div><div><input type="checkbox"/> 2. parallel and parallel</div><div><input type="checkbox"/> 3. parallel and series</div><div><input checked="" type="checkbox"/> 4. series and parallel</div></div>
Q.7	Which of the following actions is a part of the emergency response team's responsibilities during an active emergency?
Ans	<div><div><input type="checkbox"/> 1. Conducting routine safety checks</div><div><input type="checkbox"/> 2. Preparing reports on emergency incidents</div><div><input checked="" type="checkbox"/> 3. Rescuing persons in immediate danger</div><div><input type="checkbox"/> 4. Scheduling regular evacuation drills</div></div>
Q.8	The RMS value of emf per phase of alternator is given by _____. (Given: Φ = flux per pole, f = frequency of induced emf, T is the number of coils or turns per phase and Z is the number of conductors or coil sides in series/phase in an alternator)
Ans	<div><div><input type="checkbox"/> 1. $4.44 \Phi Z$</div><div><input type="checkbox"/> 2. $4.44 \Phi f Z$</div><div><input checked="" type="checkbox"/> 3. $4.44 \Phi f T$</div><div><input type="checkbox"/> 4. $2.22 \Phi f T$</div></div>
Q.9	Which of the following statements about a star connected three phase system is correct?
Ans	<div><div><input type="checkbox"/> 1. The neutral wire has higher voltage than the phase wires.</div><div><input type="checkbox"/> 2. There are two neutral wires in a star connected three phase system.</div><div><input checked="" type="checkbox"/> 3. The neutral wire carries no current in case of balanced ideal load.</div><div><input type="checkbox"/> 4. The neutral wire is used for grounding purposes only.</div></div>

Q.10	Two coils, A and B, have self-inductances of 120 μH and 300 μH , respectively. When a current of 1 A flows through coil A, it induces a flux linkage of 100 μWb turns in coil B. What is the mutual inductance between the coils?
Ans	<div><div><input checked="" type="checkbox"/></div>1. 100 μH<div><input checked="" type="checkbox"/></div>2. 120 μH<div><input checked="" type="checkbox"/></div>3. 300 μH<div><input checked="" type="checkbox"/></div>4. 50 μH</div>
Q.11	In a transformer, insulation resistance test is carried out to measure:
Ans	<div><div><input checked="" type="checkbox"/></div>1. the resistance of the insulation between windings and core<div><input checked="" type="checkbox"/></div>2. the inductance between different parts of the transformer<div><input checked="" type="checkbox"/></div>3. frequency<div><input checked="" type="checkbox"/></div>4. magnetic flux</div>
Q.12	What is the primary reason for conducting a vehicle road test?
Ans	<div><div><input checked="" type="checkbox"/></div>1. To test how fast the vehicle can go<div><input checked="" type="checkbox"/></div>2. To increase fuel efficiency<div><input checked="" type="checkbox"/></div>3. To ensure the vehicle is functioning safely and correctly<div><input checked="" type="checkbox"/></div>4. To avoid the need for inspections</div>
Q.13	What is the term used to describe programs that distinguish between uppercase and lowercase letters, treating "yes" and "YES" as different inputs?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Numerical<div><input checked="" type="checkbox"/></div>2. Alphabetical<div><input checked="" type="checkbox"/></div>3. Case-sensitive<div><input checked="" type="checkbox"/></div>4. Case-insensitive</div>
Q.14	What is the importance of following the manufacturer's guidelines for DC motor maintenance?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Saves time and resources<div><input checked="" type="checkbox"/></div>2. Increases the motor's power output<div><input checked="" type="checkbox"/></div>3. Modifies the motor's design<div><input checked="" type="checkbox"/></div>4. Ensures safe and efficient operation</div>
Q.15	Which type of electrolytic capacitor is generally more stable and has better performance in small sizes?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Aluminium capacitor<div><input checked="" type="checkbox"/></div>2. Mica capacitor<div><input checked="" type="checkbox"/></div>3. Ceramic capacitor<div><input checked="" type="checkbox"/></div>4. Tantalum capacitor</div>
Q.16	What is the maximum total current allowed in a ring circuit as per IEE regulations?
Ans	<div><div><input checked="" type="checkbox"/></div>1. 10 amps<div><input checked="" type="checkbox"/></div>2. 20 amps<div><input checked="" type="checkbox"/></div>3. 50 amps<div><input checked="" type="checkbox"/></div>4. 30 amps</div>

Q.17	What are the two types of mica capacitors?
Ans	<div><div><input type="checkbox"/></div><div>1. Electrolytic and paper capacitors</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. Stacked foil and silvered mica capacitors</div></div> <div><div><input type="checkbox"/></div><div>3. Ceramic and film capacitors</div></div> <div><div><input type="checkbox"/></div><div>4. Variable and fixed capacitors</div></div>
Q.18	What is the objective of testing an earthing system?
Ans	<div><div><input type="checkbox"/></div><div>1. To measure the insulation resistance of cables</div></div> <div><div><input type="checkbox"/></div><div>2. To test the current capacity of the earthing system</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. To ensure the system has a low resistance path to the earth</div></div> <div><div><input type="checkbox"/></div><div>4. To check the voltage levels</div></div>
Q.19	A rectangular floor measuring 10 m × 8 m is to be tiled. If each tile covers 0.25 m², how many tiles are needed?
Ans	<div><div><input type="checkbox"/></div><div>1. 300</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. 320</div></div> <div><div><input type="checkbox"/></div><div>3. 250</div></div> <div><div><input type="checkbox"/></div><div>4. 200</div></div>
Q.20	Which of the following care and maintenance of a marking table is INCORRECT?
Ans	<div><div><input type="checkbox"/></div><div>1. The marking table should be protected from damage.</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. The surface of the marking table should not be given a thin layer of oil.</div></div> <div><div><input type="checkbox"/></div><div>3. The marking table should be protected from rust.</div></div> <div><div><input type="checkbox"/></div><div>4. After use, the marking table should be cleaned with a soft cloth.</div></div>
Q.21	What is the primary goal of the 5S concept?
Ans	<div><div><input type="checkbox"/></div><div>1. To eliminate the need for maintenance</div></div> <div><div><input type="checkbox"/></div><div>2. To increase the number of safety regulations</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. To improve workplace organisation and efficiency</div></div> <div><div><input type="checkbox"/></div><div>4. To replace traditional safety measures</div></div>
Q.22	Which of the following types of DC motor is commonly used in electric traction applications such as trains and trams?
Ans	<div><div><input type="checkbox"/></div><div>1. Permanent Magnet DC Motor</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. DC Series Motor</div></div> <div><div><input type="checkbox"/></div><div>3. DC Compound Motor</div></div> <div><div><input type="checkbox"/></div><div>4. DC Shunt Motor</div></div>
Q.23	<p>Which of the following statements is/are true about Non-Functional Dimensions (NF) in engineering drawing?</p> <p>Statement 1: Non-functional Dimensions are shown without limits, as they do not affect the functionality of the component or space.</p> <p>Statement 2: Non-Functional Dimensions are typically used for reference purposes only, and do not impact the assembly or performance of the component or space.</p>
Ans	<div><div><input type="checkbox"/></div><div>1. Neither statement is true</div></div> <div><div><input type="checkbox"/></div><div>2. Both statements are true</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. Only statement 2 is true</div></div> <div><div><input type="checkbox"/></div><div>4. Only statement 1 is true</div></div>

Q.24	What is the primary reason for the heating effect in a conductor when an electric current passes through it?
Ans	<div><div><input type="checkbox"/></div><div>1. The movement of protons causes heat generation.</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. The movement of electrons causes heat generation.</div></div> <div><div><input type="checkbox"/></div><div>3. The electric field in the conductor causes heat generation.</div></div> <div><div><input type="checkbox"/></div><div>4. The conductor absorbs heat from the surrounding environment.</div></div>
Q.25	In a circuit with a NTC type thermistor and a fixed resistor connected in series connected to a DC power supply, what will happen to the output voltage if there is a rise in temperature?
Ans	<div><div><input type="checkbox"/></div><div>1. The output voltage will decrease.</div></div> <div><div><input type="checkbox"/></div><div>2. The output voltage will remain constant.</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. The output voltage will increase.</div></div> <div><div><input type="checkbox"/></div><div>4. The output voltage will fluctuate depending on the resistor value.</div></div>
Q.26	What is the purpose of measuring the electrode resistance during the installation of an earthing system?
Ans	<div><div><input type="checkbox"/></div><div>1. To ensure proper grounding of electrical equipment</div></div> <div><div><input type="checkbox"/></div><div>2. To measure the insulation resistance of the system</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. To ensure the earthing system has low impedance for fault current dissipation</div></div> <div><div><input type="checkbox"/></div><div>4. To determine the electrical load capacity of the system</div></div>
Q.27	Which of the following is a primary difference between a primary and a secondary electrochemical cell?
Ans	<div><div><input type="checkbox"/></div><div>1. A primary cell can be recharged, while a secondary cell cannot be recharged.</div></div> <div><div><input type="checkbox"/></div><div>2. There is no difference between primary and secondary cells.</div></div> <div><div><input type="checkbox"/></div><div>3. A secondary cell produces more energy than a primary cell.</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. A primary cell cannot be recharged, while a secondary cell can be recharged.</div></div>
Q.28	Alternators are usually rated in:
Ans	<div><div><input type="checkbox"/></div><div>1. Horse Power</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. Kilo Volt Ampere</div></div> <div><div><input type="checkbox"/></div><div>3. Kilo Watt</div></div> <div><div><input type="checkbox"/></div><div>4. Kilo Volt Ampere Reactive</div></div>
Q.29	What is the pinch-off voltage in a FET?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. The voltage at which the channel is "pinched off" and the current saturates</div></div> <div><div><input type="checkbox"/></div><div>2. The voltage where the drain-to-source voltage causes breakdown</div></div> <div><div><input type="checkbox"/></div><div>3. The voltage at which the gate-to-source voltage is zero</div></div> <div><div><input type="checkbox"/></div><div>4. The voltage at which the drain-to-source current is maximised</div></div>
Q.30	What is the primary purpose of preventive maintenance?
Ans	<div><div><input type="checkbox"/></div><div>1. To increase the workload of employees</div></div> <div><div><input type="checkbox"/></div><div>2. To delay repairs until breakdowns occur</div></div> <div><div><input type="checkbox"/></div><div>3. To eliminate the need for regular inspections</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. To reduce unexpected equipment failures</div></div>

Q.31	Which of the following is a major risk associated with fuel spillage?
Ans	<div><div><input type="checkbox"/></div><div>1. Increased productivity</div></div> <div><div><input type="checkbox"/></div><div>2. Better lubrication for workshop floors</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. Fire hazards and environmental contamination</div></div> <div><div><input type="checkbox"/></div><div>4. Reduced need for ventilation</div></div>
Q.32	In crane and hoist applications, why is a DC series motor preferred over a DC shunt motor?
Ans	<div><div><input type="checkbox"/></div><div>1. It consumes less power at no load.</div></div> <div><div><input type="checkbox"/></div><div>2. It maintains constant speed regardless of load variations.</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. It provides a high starting torque, which is required for lifting loads.</div></div> <div><div><input type="checkbox"/></div><div>4. It requires minimal maintenance compared to other motors.</div></div>
Q.33	What is the unit of measurement for earth fault loop impedance?
Ans	<div><div><input type="checkbox"/></div><div>1. Volts (V)</div></div> <div><div><input type="checkbox"/></div><div>2. Amperes (A)</div></div> <div><div><input type="checkbox"/></div><div>3. Farads (F)</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. Ohms (Ω)</div></div>
Q.34	<p>Match the following designations of sheets with their respective trimmed sizes in length and breadth.</p> <p>Designation Trimmed Size</p> <p>A) A0 P) 297 × 420</p> <p>B) A1 Q) 420 × 594</p> <p>C) A2 R) 594 × 841</p> <p>D) A3 S) 841 × 1189</p>
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. A-S ; B-R ; C-Q ; D-P</div></div> <div><div><input type="checkbox"/></div><div>2. A-S ; B-P ; C-Q ; D-R</div></div> <div><div><input type="checkbox"/></div><div>3. A-Q ; B-R ; C-S ; D-P</div></div> <div><div><input type="checkbox"/></div><div>4. A-P ; B-R ; C-Q ; D-S</div></div>
Q.35	In pipe earthing, what is used to connect the earthing conductor to the pipe?
Ans	<div><div><input type="checkbox"/></div><div>1. Bolts and nuts</div></div> <div><div><input type="checkbox"/></div><div>2. Soldering</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. Welding</div></div> <div><div><input type="checkbox"/></div><div>4. Tape</div></div>
Q.36	In an N-channel MOSFET, the drain current I_D increases as _____.
Ans	<div><div><input type="checkbox"/></div><div>1. the source-to-drain voltage decreases</div></div> <div><div><input type="checkbox"/></div><div>2. the drain-to-source voltage increases</div></div> <div><div><input type="checkbox"/></div><div>3. the gate-to-source voltage decreases</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. the gate-to-source voltage increases above the threshold voltage</div></div>
Q.37	The primary difference between a FET and a BJT is that _____.
Ans	<div><div><input type="checkbox"/></div><div>1. BJTs are more sensitive to temperature than FETs</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. FETs are voltage-controlled devices, while BJTs are current-controlled devices</div></div> <div><div><input type="checkbox"/></div><div>3. FETs have a lower input impedance than BJTs</div></div> <div><div><input type="checkbox"/></div><div>4. FETs are current-controlled devices, while BJTs are voltage-controlled devices</div></div>

Q.38	Read the Assertion (A) and Reason (R) carefully, and select the correct option.
<p>Assertion (A): The earth resistance must be kept as low as possible to ensure that the earthing system is effective during fault conditions.</p> <p>Reason (R): A low resistance allows fault current to flow easily into the ground, ensuring safety by preventing electrical hazards.</p>	
Ans	<div><div><input checked="" type="checkbox"/></div>1. Assertion (A) is correct, but Reason (R) is incorrect.</div> <div><div><input checked="" type="checkbox"/></div>2. Both Assertion (A) and Reason (R) are correct, but the reason does not correctly explain the assertion.</div> <div><div><input checked="" type="checkbox"/></div>3. Assertion (A) is incorrect, but Reason (R) is correct.</div> <div><div><input checked="" type="checkbox"/></div>4. Both Assertion (A) and Reason (R) are correct, and the reason correctly explains the assertion.</div>
Q.39	Which electrical component is used to perform a polarity test to check whether or not the switches are connected in phase/live cable?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Ammeter</div> <div><div><input checked="" type="checkbox"/></div>2. Megger</div> <div><div><input checked="" type="checkbox"/></div>3. Multimeter</div> <div><div><input checked="" type="checkbox"/></div>4. Test lamp</div>
Q.40	Sine bars are used when a high degree of accuracy less than _____ is needed for measuring angles.
Ans	<div><div><input checked="" type="checkbox"/></div>1. 30 minutes</div> <div><div><input checked="" type="checkbox"/></div>2. 1 minute</div> <div><div><input checked="" type="checkbox"/></div>3. 1 degree</div> <div><div><input checked="" type="checkbox"/></div>4. 30 degrees</div>
Q.41	The Insulation Resistance value for a transformer is measured in:
Ans	<div><div><input checked="" type="checkbox"/></div>1. megaohms</div> <div><div><input checked="" type="checkbox"/></div>2. KVA</div> <div><div><input checked="" type="checkbox"/></div>3. kilohms</div> <div><div><input checked="" type="checkbox"/></div>4. ohms</div>
Q.42	Which of the following is a key electrical safety tip in a workshop?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Ignore frayed wires if the device is still working</div> <div><div><input checked="" type="checkbox"/></div>2. Operate machines with wet hands</div> <div><div><input checked="" type="checkbox"/></div>3. Ensure electrical equipment is properly grounded</div> <div><div><input checked="" type="checkbox"/></div>4. Use water to clean electrical panels</div>
Q.43	How should the electrode resistance be measured if multiple earthing electrodes are used in parallel?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Use a clamp meter to measure the resistance of parallel electrodes</div> <div><div><input checked="" type="checkbox"/></div>2. Measure electrode resistance individually and then average the values</div> <div><div><input checked="" type="checkbox"/></div>3. Measure electrode resistance individually and then add it</div> <div><div><input checked="" type="checkbox"/></div>4. Measure the total resistance of the combined electrodes in parallel</div>
Q.44	IGBT (Insulated Gate Bipolar Transistor) has _____.
Ans	<div><div><input checked="" type="checkbox"/></div>1. high on-state resistance</div> <div><div><input checked="" type="checkbox"/></div>2. second breakdown problems</div> <div><div><input checked="" type="checkbox"/></div>3. low input impedance</div> <div><div><input checked="" type="checkbox"/></div>4. high input impedance</div>

Q.45 The SI unit of 'ultimate stress' is _____.

- Ans
- ☐ 1. newton per meter (N/m)
 - ☐ 2. newton (N)
 - ☒ 3. pascal (Pa)
 - ☐ 4. joule per square meter (J/m²)

Q.46 What should be the position of the 'OFF' marking on a fireman's switch?

- Ans
- ☐ 1. At the bottom
 - ☐ 2. On the side
 - ☒ 3. At the top
 - ☐ 4. In the centre

Q.47 Which DC motor type provides the best speed regulation under varying loads?

- Ans
- ☐ 1. Cumulative Motor
 - ☒ 2. DC Shunt Motor
 - ☐ 3. Permanent Magnet DC Motor
 - ☐ 4. DC Series Motor

Q.48 Which of the following methods is used for synchronising a three-phase alternator?

- Ans
- ☐ 1. Using damper grids in pole faces
 - ☐ 2. Kramer's Method
 - ☒ 3. Three Dark lamp method
 - ☐ 4. One Wattmeter method

Q.49 Which of the following is true for a system with an unbalanced load of a three-phase system?

- Ans
- ☐ 1. The sum of phase angles of each phase is always 120°.
 - ☐ 2. In an unbalanced three-phase system, the neutral current is zero.
 - ☐ 3. The sum of the line currents is not necessarily zero.
 - ☒ 4. The line voltages are always equal.

Q.50 While performing short circuit test on a transformer to determine its parameter, instruments are placed on the:

- Ans
- ☒ 1. high voltage side, while the low voltage side is short circuit
 - ☐ 2. low voltage side, while the high voltage side is short circuit
 - ☐ 3. low voltage side, while the high voltage side is open circuit
 - ☐ 4. high voltage side, while the low voltage side is open circuit

Q.51 The voltage regulation in percentage for transformer is given by:

- Ans
- ☐ 1. Voltage regulation = $\frac{V_{load} - V_{noload}}{V_{load}} \times 100$
 - ☐ 2. Voltage regulation = $\frac{V_{noload} - V_{load}}{V_{noload}} \times 100$
 - ☐ 3. Voltage regulation = $\frac{V_{noload} - V_{load}}{V_{load}} \times 100$
 - ☒ 4. Voltage regulation = $\frac{V_{noload} - V_{load}}{V_{load}} \times 100$

Q.52	_____ recommend(s) 20 mm wide margins for sheet sizes AO and A1 in engineering drawings.
Ans	<div><div><input checked="" type="checkbox"/></div>1. Borders and frames: SP: 46 (2003)</div> <div><div><input type="checkbox"/></div>2. Custom grids</div> <div><div><input type="checkbox"/></div>3. Geographic coordinate systems</div> <div><div><input type="checkbox"/></div>4. Grid reference system</div>
Q.53	Which option shows the correct answer when 27°C is converted to the kelvin scale?
Ans	<div><div><input type="checkbox"/></div>1. – 300 K</div> <div><div><input checked="" type="checkbox"/></div>2. 300 K</div> <div><div><input type="checkbox"/></div>3. 246 K</div> <div><div><input type="checkbox"/></div>4. – 246 K</div>
Q.54	Which device is used to protect against electric shocks and fires caused by earth leakage currents?
Ans	<div><div><input checked="" type="checkbox"/></div>1. ELCB</div> <div><div><input type="checkbox"/></div>2. ECB</div> <div><div><input type="checkbox"/></div>3. MCCB</div> <div><div><input type="checkbox"/></div>4. MCB</div>
Q.55	A 100-mm centre-punch could have a 10-mm diameter body and a 6-mm diameter point ground to an angle of _____.
Ans	<div><div><input type="checkbox"/></div>1. 120°</div> <div><div><input type="checkbox"/></div>2. 60°</div> <div><div><input type="checkbox"/></div>3. 30°</div> <div><div><input checked="" type="checkbox"/></div>4. 90°</div>
Q.56	The energy stored (W) in an inductor is given by the formula _____, where C = Capacitance, V= Voltage, I = Current, and L= inductance.
Ans	<div><div><input checked="" type="checkbox"/></div>1. $W = \frac{1}{2}LI^2$</div> <div><div><input type="checkbox"/></div>2. $W = \frac{1}{2}VI$</div> <div><div><input type="checkbox"/></div>3. $W = LI$</div> <div><div><input type="checkbox"/></div>4. $W = \frac{1}{2}CV^2$</div>
Q.57	An angle greater than 180 degrees is referred to as _____.
Ans	<div><div><input type="checkbox"/></div>1. an obtuse angle</div> <div><div><input type="checkbox"/></div>2. an acute angle</div> <div><div><input type="checkbox"/></div>3. a right angle</div> <div><div><input checked="" type="checkbox"/></div>4. a reflex angle</div>
Q.58	Which of the following is a possible cause of an unbalanced load in a three-phase system?
Ans	<div><div><input type="checkbox"/></div>1. Symmetrical load across phases</div> <div><div><input type="checkbox"/></div>2. Equal phase currents</div> <div><div><input type="checkbox"/></div>3. Balanced supply voltages</div> <div><div><input checked="" type="checkbox"/></div>4. Differences in load resistance across phases</div>

Q.59	A three phase circuit is connected with balanced delta connected load of impedance 100 Ω . If the current in each phase is 5 A, the voltage across each load will be _____.
Ans	<div><div><input type="checkbox"/></div>1. 200 V</div> <div><div><input type="checkbox"/></div>2. 250 V</div> <div><div><input checked="" type="checkbox"/></div>3. 500 V</div> <div><div><input type="checkbox"/></div>4. 150 V</div>

Q.66	Which of the following is INCORRECT about line standard?
Ans	<div><div><input type="checkbox"/></div><div>1. Subject to parallax error</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. More accurate due to line thickness</div></div> <div><div><input type="checkbox"/></div><div>3. Used to measure the distance between two engraved lines</div></div> <div><div><input type="checkbox"/></div><div>4. Quick measurements over a wide range</div></div>
Q.67	The accuracy of measurement by a try square is about:
Ans	<div><div><input type="checkbox"/></div><div>1. 0.004 mm per 10 mm length</div></div> <div><div><input type="checkbox"/></div><div>2. 0.02 mm per 10 mm length</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. 0.002 mm per 10 mm length</div></div> <div><div><input type="checkbox"/></div><div>4. 0.001 mm per 10 mm length</div></div>
Q.68	Natural rubber is soft at high temperatures and brittle at low temperatures; hence raw rubber is heated with sulphur and other additives at a temperature range between 373 – 415 K to make it strong. This process is called _____ of rubber.
Ans	<div><div><input type="checkbox"/></div><div>1. molding</div></div> <div><div><input type="checkbox"/></div><div>2. latex</div></div> <div><div><input type="checkbox"/></div><div>3. extrusion</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. vulcanisation</div></div>
Q.69	Why do cars have treaded tyres?
Ans	<div><div><input type="checkbox"/></div><div>1. To increase speed</div></div> <div><div><input type="checkbox"/></div><div>2. To decrease friction</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. To increase friction and grip on the road</div></div> <div><div><input type="checkbox"/></div><div>4. To reduce weight</div></div>
Q.70	Which of the following types of resistors is preferred for high-current applications?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. Wire-wound resistor</div></div> <div><div><input type="checkbox"/></div><div>2. Carbon composition resistor</div></div> <div><div><input type="checkbox"/></div><div>3. Variable resistor</div></div> <div><div><input type="checkbox"/></div><div>4. Film resistor</div></div>
Q.71	Why are alternators connected in parallel?
Ans	<div><div><input type="checkbox"/></div><div>1. To increase the output frequency</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. To meet greater power demand of load circuit</div></div> <div><div><input type="checkbox"/></div><div>3. To increase the starting torque</div></div> <div><div><input type="checkbox"/></div><div>4. To improve the power factor</div></div>
Q.72	Why is a DC compound generator preferred for industrial loads?
Ans	<div><div><input type="checkbox"/></div><div>1. It provides better efficiency.</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. It has constant voltage characteristics.</div></div> <div><div><input type="checkbox"/></div><div>3. It has no losses.</div></div> <div><div><input type="checkbox"/></div><div>4. It is easier to manufacture.</div></div>

Q.73 Which of the following conversions are correct?

- Ans
- ☐ 1. 1 L = 1000 dm³ and 1 mL = 1000 cm³
 - ☒ 2. 1 L = 1 dm³ and 1 mL = 1 cm³
 - ☐ 3. 1000 L = 1 dm³ and 1000 mL = 1 cm³
 - ☐ 4. 1000 L = 1 dm³ and 1 mL = 1000 cm³

Q.74 What is the primary cause of sudden insulation resistance failure in a DC generator?

- Ans
- ☐ 1. Excessive armature current
 - ☐ 2. High ambient temperature
 - ☒ 3. Moisture ingress or contamination
 - ☐ 4. Increase in rotational speed

Q.75 Transformer oil should have _____ dielectric strength and _____ viscosity.

- Ans
- ☐ 1. low; low
 - ☐ 2. high; high
 - ☒ 3. high; low
 - ☐ 4. low; high