

Dedicated Freight Corridor Corporation of India Ltd.

A Government of India (Ministry of Railways) Enterprise

Participant ID	
Participant Name	
Test Center Name	iON Digital Zone iDZ Chandpura
Test Date	10/11/2018
Test Time	12:30 PM - 2:30 PM
Subject	Executive Civil

Section: General Knowledge

Q.1 Which of the following Articles of the Constitution of India provides provisions for a joint sitting of both Houses of

Ans

√ 1. Article 108

X 2. Article 122

X 3. Article 93

X 4. Article 126

Q.2 The Education Minister of a State Government is appointed by the _____ on the advice of the _

Ans

√ 1. Governor; Chief Minister

X 2. President; Governor

X 3. Chief Minister; Governor

X 4. Chief Minister: Prime Minister

Q.3 What is the name, in brief, of the new Umbrella Scheme aimed at ensuring remunerative prices to the farmers for their

Ans

1. PM-SADBHAV

✓ 2. PM-AASHA

X 3. PM-NYAAY

X 4. PM-SAMTA

0.4 The Government of India has proposed to merge Dena Bank and Vijaya Bank along with which of the following banks?

Ans

1. Punjab National Bank

2. Bank of Baroda

X 3. Central Bank of India

A. Bank of India

Q.5 Who is the Chairman and Managing Director of Small Industries Development Bank of India (SIDBI) as of October

Ans

Ajay Kumar Kapur

X 2. Manoj Mittal

Chosen Option : --

Question ID: 1860451869

Status: Not Answered

Question ID : 1860451870 Status : Answered

Chosen Option: 1

Question ID : 1860451872

Status : Not Attempted and Marked For Review

Chosen Option: --

Question ID: 1860451873

Status: Answered

Chosen Option: 2


Question ID: 1860451874

Status: Not Attempted and

Marked For Review

Chosen Option: --


	X 3. Badruddin Ajmal✓ 4. Mohammad Mustafa	
Q.6 Ans	Who has been appointed as the current Chief Justice of India and took over the office on 3 rd October, 2018? 1. Justice Jasti Chelameswar 2. Justice Madan Lokur 3. Justice Kurian Joseph 4. Justice Ranjan Gogoi	Question ID : 1860451871 Status : Answered Chosen Option : 4
Q.7 Ans	Which among the following was the capital of Bahmani Sultanate? X 1. Golkonda X 2. Berar ✓ 3. Gulbarga X 4. Bellary	Question ID : 1860451867 Status : Not Answered Chosen Option :
Q.8 Ans	Which of the following rivers flows into the Arabian Sea? X 1. Krishna X 2. Godavari X 3. Luni ✓ 4. Sabarmati	Question ID : 1860451866 Status : Answered Chosen Option : 3
Q.9 Ans	The force of friction always the applied forces. X 1. adds up to ✓ 2. opposes X 3. reflects X 4. conducts	Question ID : 1860451875 Status : Answered Chosen Option : 2
Q.10 Ans	While connecting an LED to a circuit, the longer lead is always connected to the terminal of the battery and the shorter lead is connected to the other terminal of the battery. 1. negative 2. positive 3. neutral 4. equal	Question ID : 1860451876 Status : Answered Chosen Option : 1
Q.11 Ans	In which state are the Rock Shelters of Bhimbetka, a UNESCO site, located? 1. Karnataka 2. Andhra Pradesh 3. Gujarat 4. Madhya Pradesh	Question ID : 1860451868 Status : Not Attempted and Marked For Review Chosen Option :
Q.12 Ans	Which of the following nations hosted the Asia Cup 2018 Cricket tournament? 1. Bangladesh	Question ID : 1860451877 Status : Answered



Ans	√ 1. 71	
	× 2. 67	
	× 3. 81	
	× 4. 77	
Q.6	Identify the next logical letter pair in the given pattern. HS, JQ, LO, NM, **\frac{1}{2} \text{ OL} **\frac{2}{3} \text{ MN} **\frac{3}{4} \text{ KP}	Question ID : 1860451882 Status : Answered Chosen Option : 2
Q.7	Sitting in a row, six Indian cricket fans K, L, M, N, O and P are watching an India versus Australia match. Of these, L, M, O and P are girls and the rest are boys. K, N and L have painted their faces while the rest are holding India Flags. N, O and P are wearing the Indian team Jerseys and the rest were wearing normal T-shirts. Which two people are girls, holding Indian Flag and wearing Indian team Jerseys? 1. O and P 2. L and P 3. M and O 4. L and M	Question ID : 1860451881 Status : Not Attempted and Marked For Review Chosen Option :
Q.8 Ans	Choose the alternative from the given options that will complete the given number series. 72, 83, 105, 138, 182, 1. 258 2. 237 3. 278 4. 224	Question ID : 1860451879 Status : Answered Chosen Option : 2
	U, V, W, X and Y are five cousins. X is half the age of V; V is half the age of U. Y is half the age of X. If Y is 4 years old, what is the age of V? 1. 16 years 2. 8 years 3. 32 years 4. 48 years	Question ID : 1860451886 Status : Answered Chosen Option : 1
Q.10 Ans	If the positions of the first and the sixth digits of the number 341285769 are interchanged and similarly, the second and the seventh digits are interchanged, which of the following will be 3 rd to the left of the 7 th digit from the left end? 1. 9 2. 7 3. 2 4. 3	Question ID : 1860451880 Status : Answered Chosen Option : 3
Q.11 Ans	Select the response that is DIFFERENT from the other three responses. 1. SWTX 2. EHDI 3. CFBG	Question ID : 1860451878 Status : Answered Chosen Option : 1

.12 Some equations are solved on the basis of a certain system. Find the correct answer for the unsolved equation on that	
basis. 4 + 25 = 81; 9 + 49 = 256; 7 + 16 = ?	Question ID : 1860451885
Ans 🗸 1. 121	Status : Not Attempted and Marked For Review
× 2. 256	Chosen Option :
× 3. 16	
× 4. 88	
•, 60	
ection : Surveying	
A 30 m chain used for a survey was found to be 30.10 m at the beginning and 30.30 m at the end of the work. The area of the plan drawn to a scale of 1 cm = 8 m was measured with the help of planimeter and was found to be 42.50 sq. cm.	Question ID : 1860451891
what is true area of the field? Ans \times 1. 3456.4 m ²	Status : Not Attempted and
	Marked For Review Chosen Option :
× 2. 2890.9 m ²	<u> </u>
\checkmark 3. 2756.4 m ²	
× 4. 2567.0 m ²	
1.2 Which of the following levelling is necessary for carrying levelling across any obstacle requiring a long sight between two points so situated where no place is there for the setup of the level midway between two points?	Question ID : 1860451894
Ans 1 Differential leveling	Status : Answered
✓ 2. Reciprocal levelling	Chosen Option : 2
Productive Control Con	
→ 3. Precise leveling	
× 4. Fly leveling	
Q.3 Which of the following chains was originally used for land measurement with a length of 66 ft?	Question ID : 1860451890
Ans X 1. Metric Chain	Status : Answered
× 2. Engineer's Chain	Chosen Option : 3
✓ 3. Gunter's Chain	
X 4. Revenue Chain	
Q.4 In plane table survey, both horizontal and vertical distances will be obtained directly using	
Ans X 1. tacheometer	Question ID : 1860451895 Status : Answered
× 2. plane alidade	Chosen Option : 1
✓ 3. telescopic alidade	
× 4. plumb bob	
7 - plano ooo	
	Question ID : 1860451892
Q.5 What is the main objective of providing tie line in chain survey?	
What is the main objective of providing tie line in chain survey? To take the details of the nearby objects.	Status : Answered
	Status : Answered Chosen Option : 1
To take the details of the nearby objects.	

Question ID: 1860451893 The ruling principle of plane surveying is to work from: Status: Answered Ans 1 lower level to higher level. Chosen Option: 2 ✓ 2. whole to part. X 3. part to whole. 4. higher level to lower level. Section: Strength of material Structural Design & Drawing Q.1 The short- term modulus of elasticity of concrete (in N/mm²) as per IS 456- 2000 is given by: Question ID: 1860451913 Ans \checkmark 1. 5000 \sqrt{f} ck Status: Answered Chosen Option: 1 \times 2. 3000 \sqrt{f} ck \times 3. 5700 \sqrt{f} ck \times 4. 3700 \sqrt{f} ck Q.2 Which of the following is NOT an objective of seasoning timber? Question ID: 1860451904 Ans 1 Reduction of weight of the timber. Status: Answered Chosen Option: 2 2. Reduction of natural defects in timber. X 3. Reduction in shrinkage and warping. 4. Increase in strength and durability. Q.3 A 6-hour rainfall of 6 cm at a place A was found to have a return period of 40 years. The probability that a 6 hour rainfall of this or larger magnitude will occur at least once in 20 successive years is: Ouestion ID: 1860451908 Ans X 1. 0.308 Status: Not Answered Chosen Option: --X 2. 0.015 X 3. 0.605 4. 0.397 Q.4 Water absorption of a good brick should NOT exceed _____ of its dry weight when kept immersed in water for Question ID: 1860451900 Ans X 1. 10% Status: Answered Chosen Option: 1 2. 20% X 3. 30% X 4. 25% Q.5 In theodolites, the axis of rotation of telescope in the vertical plane indicates: Question ID: 1860451898 X 1 vertical axis Status: Answered Chosen Option: 4 X 2. axis of telescope 3. line of collimation 4. horizontal axis What is the radius of one degree curve? Question ID: 1860451899 X 1. 1619 m Status: Not Attempted and Ans **Marked For Review**



	× 2. Lime	Chosen Option : 3
	√ 3. Al ₂ O ₃	
	× 4. Dolomite	
0.14	hydraulic structure is constructed when a Full Supply Level (FSL) of a canal is much higher than High Flood Level	7
Ans	HFL) of the stream which in turn, is lower than the bottom of the canal trough. Such a structure is called as:	Question ID : 1860451910 Status : Not Attempted and
	★ 1. Super passage	Marked For Review
	2. Aqueduct	Chosen Option :
	× 3. Inlets	
	X 4. Level crossing	
Q.15	Which of the following statements is INCORRECT in the case of stiffness of wood?	Question ID : 1860451905
Ans	√ 1.	Status : Answered
	Structural sizes of timber are stiffer than the clear small sticks.	Chosen Option : 3
	2. Green timber is stiffer than when seasoned.	
	× 3. Denser wood is stiffer.	
	X 4. Wood is not a stiff material.	
Q.16 Li	n the stability of floating bodies, the stable equilibrium is attained if the meta centre (M) point the centre of ravity (G).	Ouestion ID : 1860451907
Ans	✓ 1. lies above	Status : Answered
	× 2. coincides with	Chosen Option : 1
	X ₃ is parallel to	
	× 4. lies below	
	2000200000	
	Generally, the swelling of wood along the length of fibres ranges from:	Question ID : 1860451903
Ans	X 1. 6 to 12%	Status: Not Answered
	2. 0.1 to 0.8%	Chosen Option :
	× 3. 13 to 15%	
	× 4. 3 to 5%	
Q.18	Which one of the following is NOT a direct stream flow measurement technique?	Question ID : 1860451909
Ans	➤ 1. Dilution method	Status : Answered
	× 2. Area-velocity method	Chosen Option : 4
	✓ 3. Slope-area method	
	X 4. Ultrasonic method	
Sectio	n : Buildings & Construction Material	
Q.1	The test which is NOT used to measure the workability of concrete is called test.	Outsti ID 1010151011
Ans	★ 1. Compacting factor	Question ID : 1860451916 Status : Answered
	× 2. Vee-Bee	Chosen Option : 3
	✓ 3. Le-chateliers	
	× 4. Slump	
	· Linearing F	

Q.2 According to IS 456-2000, the slump value (in mm) of the concrete used in ordinary RCC work for beams and slabs etc. is in the range of

Ans

X 1. 75 to 150

X 2. 25 to 50

✓ 3. 50 to 100

X 4. 20 to 30

Q.3 The relation between the effective modulus E_{ce} , short term static modulus E_{ce} , short term static modulus E_{ce} and creep coefficient θ of concrete is given by:

Ans

$$X$$
 1. $E_{ce} = \frac{\theta}{1+2E_c}$

$$\times$$
 2. $E_{ce} = \frac{E_c}{1+2\theta}$

$$X$$
 3. $E_{ce} = \frac{\theta}{1 + E_e}$

$$\checkmark$$
 4. $E_{ce} = \frac{E_c}{1+\theta}$

Q.4 According to IS 456-2000, the exposure condition of concrete surfaces to coastal environment completely is classified as:

Ans

X 1. Moderate

√ 2. Severe

X 3. Extreme

X 4. Very severe

Question ID : **1860451919**

Status: Answered

Question ID: 1860451917

Status: Answered

Chosen Option : 4

Chosen Option: 3

Question ID : 1860451918 Status : Answered

Chosen Option : 4

Q.5 Steel Bbeam theory is the method used to analysze and in the design of a design of:

Ans

X 1. Singly reinforced sections

2. Both singly & doubly reinforced section

3. Doubly reinforced sections

X 4. Column structures only

Q.6 Water-cement ratio is the ratio of:

Ans

X 1. water to cement by volume

X 2. cement to water by weight

✓ 3. water to cement by weight

X 4. cement to water by volume

Question ID : 1860451914
Status : Answered

Chosen Option : 2

Question ID : 1860451915

Status : **Answered** Chosen Option : **3**

Section: Soil mechanics & Foundation Engineering

Q.1 The guidelines for Pre-stressed concrete is given by which of the following Bureau of Indian Standard codes?

Ans

X 1. IS 2116 - 1980

X 2. IS 269 - 2015

X 3. IS 456-2000

✓ 4. IS 1343-1980

Question ID : 1860451926 Status : Answered

Chosen Option : 4

Q.2 According IS 456-2000, the nominal cover provided for the concrete surfaces exposed to very severe environmental conditions shall NOT be less than:

Ans

X 1. 75 mm

Question ID : 1860451923 Status : Answered

× 2. 30 mm	Chosen Option : 3
✓ 3. 50 mm	
× 4. 45 mm	
Q.3 Which of the following coagulants is most commonly used in sedimentation process in water treatment plans	Question ID : 1860451935
Albummordar muogen	Status : Not Attempted and Marked For Review
2 Potassium sulphate	Chosen Option :
✓ 3. Aluminium sulphate	
× 4. Nitric sulphate	
Q.4 The population forecasting method which that is based on the assumption that the percentage increase in popular from one decade to the other decade remains constant is called method.	Question ID : 1860451937
Ans 1 geometrical increase	Status : Answered
× 2. arithmetical increase	Chosen Option : 1
× 3. incremental increase	
X 4. decrease rate of growth	
Q.5 Which of the following is a disadvantage in the case of Freyssinet system of post tensioni	ng? Question ID : 1860451928
Ans 1. Projection of plug left in concrete	Status : Not Attempted and Marked For Review
★ 2 Safeguarding of wires is economical	Chosen Option :
✓ 3. Stresses in the wires are not similar	
X 4. Rapid attainment of stretching force	
Q.6 A rectangular concrete beam of 250 mm wide and 600 mm deep is pre-stressed by means of four 10 mm diameter tensile bars located at 200 mm from the soffit of the beam. If the effective stress in the wires is 500 N/mm ² . What	
maximum bending moment that can be applied to the section WITHOUT causing tension at soffit of the beam? Ans $1.24.5 \text{ kNm}$	Status : Not Attempted and Marked For Review
× 2. 26.5 kNm	Chosen Option :
✓ 3. 31.5 kNm	
× 4. 38.5 kNm	
NOO 500000000000000000000000000000000000	ipes.
Ans X 1 Chlorinated polyvinyl chloride	Question ID : 1860451934 Status : Not Attempted and
✓ 2. Polypropylene	Marked For Review
X 3. Polybutylene	Chosen Option :
× 4. Polyethylene	
7 4 Polyethylene	
Q.8 As per IS 1343-1980, the minimum 28 day compressive strength for pre-tensioned member	Question ID : 1860451924
50 N/mm ²	Status : Answered Chosen Option : 2
× 2. 30 N/mm ²	Chosen Option . 2
× 3. 25 N/mm ²	
✓ 4. 40 N/mm ²	

Which of the following post tensioning system adopts metallic sandwich plates, flat wedges and distribution plate for Question ID: 1860451929 Status: Not Attempted and Ans 1 Magnel-Balton Marked For Review Chosen Option: --X 2. Lee-McCall X 3. Gifford-Udall X 4. Freyssinet Q.10 The upward deflection of a pre-stressed beam with a straight tendon at a uniform eccentricity below the centroidal axis is given by----, where P-effective pre-stressing force, e-eccentricity, L-length of the beam, E-Modulus of elasticity, I – moment of inertia: Question ID: 1860451932 Status: Not Attempted and Ans X 1. -Pel.2/14EI **Marked For Review** Chosen Option: --✓ 2. _Pel ²/8FI X 3. -Pel 2/4FI X 4. -Pel 2/16FI Q.11 As per IS 10500: 1991, what is the permissible limit in the absence of alternate sources for the total hardness of drinking Ouestion ID: 1860451933 Ans 1. 600 mg/l Status: Answered Chosen Option: 2 × 2. 300 mg/l X 3. 800 mg/l X 4. 500 mg/l Q.12 Which of the statements is correct in the case of slow sand filters? Question ID: 1860451936 Ans 1. They require low turbidity water. Status: Answered Chosen Option: 3 2. They are relatively simple to operate. 3. They have a large land requirement. 4. They are labour-intensive. Q.13 The minimum reinforcement used in either direction of the slabs shall NOT be ______ of the total cross sectional area for Fe 250 grade steel. Question ID: 1860451922 Ans \times 1. < 0.1 % Status: Answered Chosen Option: 3 \times 2. < 0.25 % √ 3. < 0.15 %
</p> \times 4. < 0.2 % Q.14 Which of the following systems is used for pre-tensioning? Question ID: 1860451927 1. Gifford-Udall system Status: Not Answered Chosen Option: --2. Freyssinet system 3. Magnel-Blaton system 4. Hoyer's long line system Q.15 In limit state design, the values of consideration of factor of safety for concrete and steel, respectively, in limit state Question ID: 1860451920 X 1. 1.50 and 1.17 Status: Answered Chosen Option: 3 X 2. 2.00 and 1.70

3. 1.50 and 1.15 X 4. 1.50 and 1.50 Q.16 The maximum spacing of shear reinforcement along the axis of the member shall NOT exceed effective depth of the section for vertical strips Ouestion ID: 1860451921 X 1. 0.65 Ans Status: Answered Chosen Option: 4 X 2. 1.20 X 3. 0.50 4. 0.75 Q.17 The analysis of pre-stressed concrete members is based on which of the following concepts? Question ID: 1860451925 Ans Shear stresses Status: Answered Chosen Option: 3 Combined stresses due to direct load and bending stresses X 3. Overhead stresses X 4. Principle stresses Q.18 A concrete beam is pre-stressed by a cable carrying an initial pre-stressing force of 300 kN, area is 300 mm². What is Question ID: 1860451931 the percentage of loss of stress due to shrinkage in pre-tensioned members' Ans 1. 6.3% Status: Answered Chosen Option: 3 X 2. 2.3% X 3. 4 % X 4. 5.3% Section: Concrete Technology Reinforced & Pre-stressed concrete Q.1 The tensile stresses at a point across two mutual perpendicular planes are 150 N/mm² and 75 N/mm². What is the Ouestion ID: 1860451949 normal stress on the plane inclined at 35° to axis of the minor stresses? Status: Not Attempted and Ans X 1. 128.64 N/mm² Marked For Review Chosen Option: --✓ 2. 125 33 N/mm² X 3. 115 N/mm² X 4. 120.50 N/mm² Q.2 The deflection of the centre of the simply supported beam carrying point load at the centre is given by: Question ID: 1860451954 Ans ✓ 1. - WL³/48EI Status: Answered Chosen Option: 1 X 2. -5WI 2/384FI X 3. -WI 2/24FI X 4. - WI 3/3FI Q.3 Removal of excess chlorine resulting from super chlorination, in part, or completely, is called: Question ID: 1860451939 Ans De-chlorination Status: Answered 2. Pre-chlorination Chosen Option: 1 X 3. Re-chlorination 4. Post-chlorination **Q.4**

In the case of a triangular section, the shear stress is maximum at the: Question ID: 1860451953 Status: Answered Ans X 1 Neutral axis Chosen Option: 3 X 2. Height of 2h/3 √ 3. Height of h/2 X 4. Centre of gravity Q.5 The effective size of the sand particles used in the top layer of slow sand filter is in the range of: Question ID: 1860451938 X 1. 0.45 to 0.70 mm Status: Answered × 2. 0.40 to 0.60 mm Chosen Option: 3 √ 3. 0.20 to 0.30 mm X 4. 0.35 to 0.55 mm Q.6 The best method for controlling taste and odor problems in water is through Question ID: 1860451940 × 1 hydration Status: Answered Chosen Option: 4 X 2. reduction X 3. coagulation 4. oxidation Q.7 Which of the following characterises biochemical treatments of sewage effluents? Question ID: 1860451942 1 Sulphonification Status: Answered Chosen Option: 2 Oxidation X 3. Chlorination X 4. Redox 0.8 A cylinder is considered to be a 'thin cylinder', if the thickness to internal diameter of the cylindrical shell is: Ouestion ID: 1860451955 X 1. greater than 1/20 Status: Answered Chosen Option: 3 2 less than 1/10 √ 3. less than 1/20. 4 greater than 1/10 A rectangular steel bar, which is of 2.8 m long and 15 mm thick, is subjected to an axial tensile load of 40 kN. If width Q.9 of the bar varies from 75 mm at one end to 30 mm at the other end, then what is the extension of the bar if E = 2 x 106 Ouestion ID: 1860451947 Status: Not Answered Ans X 1 0.86 mm Chosen Option: --X 2. 0.36 mm ✓ 3. 0.76 mm X 4. 0.50 mm Q.10 What does Chemical Oxygen Demand (COD) indicate? Question ID: 1860451944 Ans 1 Biodegradability of the waste water Status: Answered Chosen Option: 4 X 2. Strength of a sewage X 3. Age of the sewage Y 4. Potential for recycling of the wastewater

0.11 What will be the Sludge Volume Index (SVI) if 100 ml of sludge collected in 30 mins on drying weighs 800 mg? Question ID: 1860451941 Ans X 1. 115 Status: Not Answered X 2. 78 Chosen Option: --**3**. 125 X 4. 100 Q.12 What is the section modulus for a rectangle beam of size 200 mm × 350 mm? Question ID: 1860451952 \times 1. 4.34 × 10⁶ mm³ Status: Not Attempted and **Marked For Review** \checkmark 2. 4.08 × 10⁶ mm³ Chosen Option: -- \times 3. 5.6 × 10⁶ mm³ \times 4. 5.21× 10⁶ mm³ Q.13 For the sludge digestion system to work effectively, the pH of the sludge should be between: Ouestion ID: 1860451943 Ans \times 1. 10 – 12 Status: Answered \times 2. 8.5 - 10 Chosen Option: 4 \times 3. 3.5 - 5.5 \checkmark 4. 6.5 - 7.4 Q.14 Elongation of a bar due to its self-weight is computed by __elasticity and W- total weight the bar material. , where L- length of the bar, E - Young's modulus of Ouestion ID: 1860451948 X 1. WI 2/2E Status: Answered Chosen Option: 3 X 2. WI /4F √ 3. WI/2E X 4. WI /8F Q.15 For the clamped - free column, the effective length is equal to: Question ID: 1860451945 √ 1 twice the actual length Status: Answered Chosen Option: 1 × 2. 0.5 times the actual length X 3. the actual length X 4. 0.7 times the actual length 0.16 The strain energy stored in a body with sudden load application, the maximum stress induced is twice the stress induced Question ID: 1860451950 Ans 1 the same load is applied suddenly. Status: Answered Chosen Option: 1 ✓ 2. the same load is applied gradually. X 3. the same load is applied by an impact. X 4 the torque of same load is applied. Q.17 When does contra flexure point occur on a beam? Question ID: 1860451951 Status: Answered 1. When bending moment is maximum. Chosen Option: 2 ✓ 2. When bending moment changes its sign. **X** 3.

When shear force is zero after changing its sign. **A. When shear force is constant.	
Q.18 In a simple stress–strain test, the volumetric strain is equal to strain strain strain is equal to strain strain strain is equa	Question ID : 1860451946 Status : Answered Chosen Option : 2
Section : Hydraulics Hydrology & Hydraulics Structures	
Q.1 The first Indian railway train started in the year and travelled between Ans	Question ID : 1860451956 Status : Answered Chosen Option : 4
✓ 4. 1853; Bombay and Thane	
 Q.2 Which of the following alignments is normally NOT used in mountain region Ans X 1. Switch-back alignment X 2. Spiral alignment X 3. Zigzag alignment 4. Horizontal plane alignment 	Question ID : 1860451958 Status : Answered Chosen Option : 4
Q.3 The standard formation width of single line broad gauge in embankment in Indian railways Ans 1. 5.40 m 2. 4.88 m	is: Question ID : 1860451959 Status : Not Answered Chosen Option :
✓ 3. 6.10 m × 4. 4.27 m	Chosen option
Q.4 As per Indian railway standards, the width of the broad gauge i Ans 1. 1435 mm 2. 1524 mm 3. 1676 mm 4. 1000 mm	Question ID : 1860451957 Status : Answered Chosen Option : 1
Q.5 The load per unit rail length required to produce one unit depression in the rail bottom is called module. Ans	Question ID : 1860451960 Status : Answered Chosen Option : 3
✓ 4. Track	
Q.6 The speed factor for the speed above 100 km/h given by German formula, which is adopted in Indian railways after 1966 Ans	Question ID : 1860451961 Status : Not Attempted and Marked For Review

Ouestion ID: 1860451969

Question ID: 1860451966 Status: Answered

Question ID: 1860451964

Question ID: 1860451965

Status: Not Answered

Status: Not Answered

Chosen Option: 3

Chosen Option: --

Chosen Option: --

Chosen Option: 4

Status: Answered

$$\times$$
 1. $\frac{v}{\sqrt[3]{\mu}}$

$$\checkmark 2. \frac{4.5V^2}{10^5} - \frac{1.5V^3}{10^7}$$

$$\times$$
 3. $\frac{4.5V^3}{10^7} - \frac{1.5V^3}{10^5}$

$$\times 4. \frac{V^2}{30000}$$

Section: Public Health Engineering & Water Supply

The relative density of granular soils is given by the relation:

Ans

$$\times$$
 1. $\frac{e_{max} - e}{e_{max} + e_{min}} \times 100$

$$\times$$
 2. $\frac{e_{min} - e}{e_{max} + e_{min}} \times 100$

$$\times$$
 3. $\frac{e_{max} + e}{e_{max} - e_{min}} \times 100$

$$\checkmark$$
 4. $\frac{e_{max}-e}{e_{max}-e_{min}} \times 100$

Q.2 The function of a fish plate is to hold two rails together in:



- X 2. Oblique plane only
- X 3. Vertical plane only
- 4. Horizontal plane only
- Q.3 If a broad gauge track is laid with wooden sleepers with a sleeper density of M + 7, spacing of sleeper is 68 cm and the width of the sleeper is 25.4 cm, then the depth of the ballast cushion would be:

Ans

Q.4 The stability of the formation slope railway line is generally determined by the _____ method.

- Mohr circle
- ✓ 2. Slip circle
- X 3. Rankine's
- X 4. Least square
- Q.5 The coefficient of curvature from the grain size distribution curve is given by:



Question ID: 1860451968 Status: Answered

Chosen Option: 2



$$X$$
 3. $\frac{D_{60}^2}{D_{10}D_{30}}$

$$X$$
 4. $\frac{D_{30}}{D_{10}}$

Q.6 As per Indian railway standards, the length of rail used in broad gauge is:

✓ 1. 13 m

X 2. 11 m

X 3. 12 m

X 4. 10 m

Question ID: 1860451962 Status: Answered

Chosen Option: 2

Q.7 The distance between the gauge faces of the stock rail and the tongue rail at the heel of the switch is called:

1. Throw of the switch

X 2. Flange way clearance

X 3. Switch angle

✓ 4. Heel divergence

Question ID: 1860451967 Status: Not Answered

Chosen Option: --

Q.8 The Mohr–Coulomb failure criterion, which is defined by shear strength (s) consisting of effective normal stress (σ'), cohesion (c') and effective stress angle of friction (φ'), is given by:

$$\times$$
 1. $s = \sigma' + c' \tan \varphi'$

$$\times$$
 2. $s = c' \tan \varphi' + \sigma'$

$$X$$
 3. $s = c' - \sigma' \tan \varphi'$

$$\checkmark$$
 4. $s = c' + \sigma' \tan \varphi'$

Question ID: 1860451973 Status: Answered

Chosen Option: 4

Q.9 Which of the following is a requirement from a railway sleeper?



It should transfer the load evenly from the rails to a wider area of the ballast.



It should give a firm and even support to the rails.





3. It should have sabotage and theft features.



It should hold the rails in their correct gauge and alignment.

Q.10 What is the reason for preferring triaxial shear test over direct shear test?

Ans

Accurate measurement of pore water pressure and change in volume is not possible during the test.



Stress distribution on the failure plane is non-uniform.



The test provides better correlation for effective stress of angle of friction.



Test can be performed under all three drainage conditions with complete control.

Question ID: 1860451963

Status: Answered

Question ID: 1860451972

Status: Answered

Chosen Option: 1

Chosen Option: 4

Q.11 According to standard test method ASTM D-4318, the moisture content (the liquid limit of a soil) is determined by Casagrande's liquid device, at which a groove closure of ______ occurs at ______ blows. Question ID: 1860451971 Status: Not Answered Ans 1. 11.7 mm, 20 Chosen Option: --X 2. 12.7 mm, 20 X 3. 11.7 mm, 25 4. 12.7 mm, 25 Q.12 What will be the dry unit weight (in kN/m³) for a saturated soil, given that moisture content (w) = 35% and specific gravity of soil $(G_s) = 2.5$? Question ID: 1860451970 Ans Status: Answered √ 1. 12.08 kN/m³ Chosen Option: 2 × 2. 13.58 kN/m³ X 3. 11.08 kN/m³ X 4. 10.68 kN/m³ Section: Railway Engineering & Railway Track Q.1 Which one of the following is a DEMERIT of triaxial test? Question ID: 1860451983 Ans X 1. Status: Answered The specimen is free to fail on the weakest plane. Chosen Option: 4 **X** 2. The pore pressure and volumetric changes can be measured directly. The stress distribution on the failure plane is uniform. **4**. The consolidation of the specimen is isotropic in the test but anisotropic in the field. Lime stabilisation is most commonly used for stabilizing: Ouestion ID: 1860451985 X 1. Cement Status: Answered Chosen Option: 3 X 2. Sands 3. Clays X 4. Bitumen Q.3 The intensity of vertical stress (σ_z) of the soil just below the load point is given by _____, where Z-vertical distance Question ID: 1860451982 Ans Status: Answered \times 1. 0.4775 $\frac{Z}{0}$ Chosen Option: 4 \times 2 0.4775 $\frac{Q}{7}$ \times 3. 0.4775 $\frac{Z}{O^2}$ \checkmark 4. 0.4775 $\frac{Q}{7^2}$ According to Rankine's formula, the minimum depth of foundation (h) computed with gross bearing capacity (p), density of soil (γ) and angle repose (ϕ) is: Question ID: 1860451981 Ans Status: Not Answered

Chosen Option: -- \times 1. h = (p/γ) [(1-sinφ)/(1+tanφ)]² \times 2. h = $(\gamma/p) [(1-\sin\phi)/(1+\sin\phi)]^2$ \checkmark 3. h = (p/γ) [(1-sinφ)/(1+sinφ)]² \times 4. h = (p/ γ) [(1+sin ϕ)/(1-sin ϕ)]² Q.5 If the capillary rise in a soil A with an effective size of 0.02 mm was 60 cm, then what would be the capillary rise in the similar soil B with an effective size of 0.04 mm? Question ID: 1860451979 Ans 1. 30 cm Status: Answered Chosen Option: 1 2. 20 cm X 3. 40 cm X 4. 35 cm Q.6 Unified soil classification system is almost similar to classification. Ouestion ID: 1860451978 Ans ✓ 1. IS soil Status: Answered Chosen Option: 1 X 2. AASHTO X 3. MIT X 4. Textural Q.7 The liquid limit is determined from Casagrande apparatus. The apparatus consists of a semispherical brass cup that is Question ID: 1860451976 Ans 1. 10 mm Status: Not Attempted and Marked For Review X 2. 15 mm Chosen Option: --X 3. 20 mm X 4. 5 mm Q.8 For flow-through soils, the flow is laminar when the Reynold number is: Question ID: 1860451980 X 1. greater than 2000 Status: Answered Chosen Option: 4 X 2. less than 2500 X 3. greater than unity 4. less than unity 0.9 For a soil, if the sensitivity value varies from 2.0 to 4.0, then such a soil is these soils are classified as: Question ID: 1860451977 Ans 1. Extra sensitive Status: Not Attempted and **Marked For Review** X 2. Sensitive Chosen Option: --3. Moderately sensitive 4. Little sensitive Q.10 The load per unit area of the foundation at which shear failure in soil occurs is called the: Question ID: 1860451974 Degree of consolidation Status: Answered Chosen Option: 3 ✓ 2. Ultimate bearing capacity 3. Shear resistance X 4. Punching shear failure

Q.11 According to Terzaghi's bearing capacity theory for foundations, a foundation is shallow if: Question ID: 1860451975 Ans ✓ 1. Depth is less than or equal to width Status: Answered Chosen Option: 1 Depth is greater than or equal to 2 times the width X 3. Depth is greater than 2 times the width X 4. Depth is greater than width Q.12 In a modified proctor test for compaction of soils, the mass of the rammer is of _ and dropped at a height of . Question ID: 1860451984 X 1. 2.6 kg; 310mm Status: Answered Chosen Option: 4 × 2. 2.6 kg; 450 mm X 3. 4.89 kg; 310 mm ✓ 4. 4.89 kg; 450 mm

FREE Ebooks

Current Affairs

Download Now

Explore Now

FREE MOCK TESTS + TOPIC TESTS + SECTIONAL TESTS

For Banking, Insurance, SSC & Railways Exams

Web

APP

BLOG

FORUM

Your one-stop destination for all exam related information & preparation resources.

Explore Now

Interact with peers & experts, exchange scores & improve your preparation.

Explore Now









